



P/N 3070212
DOT Swivel Male Elbow Push-in Fitting
(1/4" OD Tube x 1/8" NPT)




P/N 3070254
1/8" NPT Plug



▼ **CLOSE** label
 becomes visible at
 eye level when valve
 is open.




P/N 3070323
DOT Swivel Male Elbow
Push-in Fitting
(5/8" OD Tube x 3/4" NPT)




P/N 3070310
DOT Swivel Male Elbow
Push-in Fitting
(3/4" OD Tube x 3/4" NPT)

3/4" NPT


1/8" NPT



R 4.00




P/N 3070324
DOT Male Connector
Push-in Fitting
(5/8" OD Tube x 3/4" NPT)



P/N 3070314
DOT Male Connector
Push-in Fitting
(3/4" OD Tube x 3/4" NPT)

3/4" NPT


P/N 3070219
Male Elbow Nylon
Barbed Fitting
(3/4" OD Tube x 3/4" NPT)




3/4" Drain Valve Assembly with
Side Stem, Long Stroke Lift Handle and Large
Ergonomic Grip

3/4 inch Side Stem 90°
Valve with Long Stroke
Lift Handle and Large
Ergonomic Grip









Rectangular Verbiage Grip Option




**IC P/N 3002923
Grip with Small
Rectangular Verbiage Tag
COMING SOON**



3/4" Drain Valve Assembly with Front Stem Adaptor and T-handle






3/4" Drain Valve Assembly with Front Stem Adaptor and T-handle for 1" x 3" Insert

90° 3/4" Ball Valve with
1/2" NPT Ports
90° Stem

P/N 3003044

1/8" NPT

1/2" NPT




1/2" NPT

90° 3/4" Ball Valve with
3/4" NPT Ports
90° Stem

P/N 3003040

1/8" NPT

3/4" NPT




3/4" NPT

3/4" Inline Ball Valve with
3/4" NPT Ports

P/N 3003053

3/4" NPT

1/8" NPT




3/4" NPT

90° 3/4" Ball Valve with
3/4" NPT Ports
Inline Stem

P/N 3003047

1/8" NPT

3/4" NPT




3/4" NPT

All Required
Fittings Available

1/2" Ball Valve with
1/2" NPT Ports

1/2" NPT




1/2" NPT

P/N 3003018

1/4" Ball Valve with
1/4" NPT Ports

1/4" NPT




1/4" NPT

P/N 3003072

Innovative Controls Inc.
Valve Offering





**Air Operated Spring-Close
3/4\"**

P/N 3007457

**The air drain is a very compact air-opened and
spring-closed valve.**

It can be mounted in low inlet and discharge areas.


For use with 3 way 2-position air switch.

Features:

- All brass body with 3/4\"
- Brass piston with Neoprene o-ring seals
- Stainless steel spring to automatically close valve
- 1/8\"

**Air Operated Spring-Close
Master Drain Valve**

P/N 3007464




**The air master drain is an air-opened and
spring-closed valve.**

It can be mounted in low inlet and discharge areas.

For use with 3 way 2-position air switch.

Features:

- All brass body with 3/4\"
- Brass piston with Neoprene o-ring seals
- Stainless steel spring to automatically close valve
- 1/8\"



Automatic Drain Valve

P/N 3050371



**The automatic drain valve is normally open
and closes at 6 to 7 psi.**

It can be mounted in low discharge areas.



Normally used for deck guns, jump lines and crosslays.

Features:




- All brass body with 3/4\"
- Neoprene seal
- Brass check assembly with stainless steel spring
- 1/8\"



valve and handle only
labels not included







valve and handle only
label not included



Handle Option:
Size B Verbiage Handle


Color coding is achieved
(if needed) by using
verbiage tags
of different colors









Size B Verbiage Handle

Color coding is achieved
(if needed) by using
verbiage tags
of different colors



Innovative Controls Inc.
1/2 inch Ball Valve Assemblies



IC P/N 3003032-01-01-C
1/2" In-Line Valve Assembly with:
Two DOT Swivel Male Elbow (1/2" OD Tube x 1/2" NPT - Camozzi)
with Size B Verbiage Twist Handle

IC P/N 3003032-01-01-A
1/2" In-Line Valve Assembly with:
Two DOT Swivel Male Elbow (1/2" OD Tube x 1/2" NPT - Alkon)
with Size B Verbiage Twist Handle

IC P/N 3003032-03-03-C
1/2" In-Line Valve Assembly with:
Two DOT Swivel Male Elbow (3/8" OD Tube x 1/2" NPT - Camozzi)
with Size B Verbiage Twist Handle




IC P/N 3003032-03-03-A
1/2" In-Line Valve Assembly with:
Two DOT Swivel Male Elbow (3/8" OD Tube x 1/2" NPT - Alkon)
with Size B Verbiage Twist Handle

Labels Not Included

Labels Not Included


Labels Not Included

Labels Not Included



IC P/N 3003076-05-05-C
 1/4" In-Line Valve Assembly with:
 Two DOT Swivel Male Elbow (1/4" OD Tube x 1/4" NPT - Camozzi)
 with Size B Verbiage Twist Handle

Labels Not Included






IC P/N 3003076-05-05-A
 1/4" In-Line Valve Assembly with:
 Two DOT Swivel Male Elbow (1/4" OD Tube x 1/4" NPT - Alkon)
 with Size B Verbiage Twist Handle


Labels Not Included



valve and handle only
label not included

Innovative Controls Inc.
1/4 inch Ball Valve




Handle Option:
Size B Verbiage Handle
Color coding is achieved
(if needed) by using
verbiage tags
of different colors











**1/2" In-Line Ball Valve with
with Mini Twist Handle.**



**3/8" In-Line Ball Valve with
with Mini Twist Handle.**





**1/4" In-Line Ball Valve with
with Mini Twist Handle.**



**DOT Swivel Male Elbow
1/2" OD Tube x 1/2" NPT**

**DOT Swivel Male Elbow
3/8" OD Tube x 1/2" NPT**

3/8" NPT Fittings Also Available



**Swivel Male Elbow
DOT Swivel Male Elbow
1/4" OD Tube x 1/4" NPT**

**Swivel Male Elbow
DOT Swivel Male Elbow
3/8" OD Tube x 1/4" NPT**

